







Quickly turn tough jobs into finished jobs with the Yanmar range of construction equipment from rocxquip.



Tel: 877 617 7368



Skid Steer Attachments

STANDARD DUTY PALLET FORK

4,000 LBS. - CAPACITY STANDARD DUTY

Our skid steer pallet forks offer great visibility on a heavy-duty frame. The 48" tines are 1.5" thick and are fully adjustable. This is our most popular style forks for general use. Frames are powder coated for durable finish and serial numbered with lifting capacities in both lbs.. and kg. to meet regulations in many counties. Available with or without the side steps.

Features Include:

- Rail mount tines
- Easy to adjust
- 4,000 lb. capacity
- Non-floating tines
- 48" x 4' x 1 1/2" tines



Options:

• Teeth Bar

End Plates

• Bolt-on Cutting Edge

(hardware inc.)

• Bolt-on Replaceable Tooth

• Factory Installed Couplers





Hi-strength Steel Construction of Upper Teeth

ERSKINE GRAPPLE BUCKET

The Grapple Bucket is a wonderful tool for moving all sorts of material and earth. Sand, dirt, rocks, mud, brush, logs, there's really nothing that this grapple bucket can't move. Two independent heavy-duty grapples powered by 3,000 lb. hydraulic cylinders secure uneven and odd shaped loads. Simply a great all around attachment for almost any job.

	Specifications			
Model	66"	72"	84"	
Part Number	900611	900612	900614	
Shipping Weight	980 lb.	1,010 lb.	1,070 lb.	
Operating Weight	930 lb.	960 lb.	1,020 lb.	
Width	68"	74"	86"	
Height with Teeth Open	28.19"	28.19"	28.19"	
Maximum Opening	40.36"	40.36"	40.36"	
Hydraulic Cylinders	3" x 6" (2)	3" x 6" (2)	3" x 6" (2)	

SKID STEER HAMMER



If you're looking for long-term value in skidsteer hammers you've come to the right place.

As a hard working and profit-conscious operator you need a reliable hammer that gets to work and keeps on working as hard as you do for years to come.



PICK-UP BROOM

- Replaceable cuttingedge
- Reversible bristle direction for multi-purpose
- Adjustable arbor mounts allow control over bristle pressure to surface while extending bristle life
- Completely covered to control dust. Ideal for warehouses, machine sheds, parking lots, job sites, etc. where dust containment is a MUST!



Specifications Specifications Specifications Specifications Specifications Specifications Specification Specificat						
Model	60" w/poly	60" w/poly/steel	72" w/poly	72" w/poly/steel	84" w/poly	84" w/poly/steel
Part Number	901207	901208	901062	901063	901065	901066
Weight	740 lb.	740 lb.	850 lb.	850 lb.	940 lb.	940 lb.
Width	60"	60"	72"	72"	84"	84"
Overall Height	25.25"	25.25"	25.25"	25.25"	25.25"	25.25"
Diameter of Wafer	24"	24"	24"	24"	24"	24"
Wafer Package - Qty	30	30	38	38	44	44
Cutting Edge	.625" x 6"					
Drive System (motor)	Direct-Drive Hyd.					
Hydraulic Motor Flow Range	e 13-25 GPM	13-25 GPM	13-25 GPM	13-25 GPM	13-25 GPM	13-25 GPM









Replaceable bolt-on cutting edge and wafer package – shown with optional Curb Sweeper - allowing you to get close to curbs, buildings etc.

610 Salt Road, Webster NY 14580

Tel: 877 617 7368



ROCKHOUND LANDSCAPE RAKE



The RockHound 72B Landscape Rake is the original skid steer attachment designed to remove debris, level ground before sod is laid, or prepare seedbeds. The RockHound 72B Landscape Rake's bars collect rocks and other debris into a bucket as soil is leveled. The T-1 teeth are mounted into a double channel replaceable / reversible bolt on tooth bar. The hydraulically operated bucket opens from the top for easy unloading. Skid shoes allow the operator to adjust the depth and limit wear.

Product Model	Specifications			
Rake Model 72B				
Cutting Width	72"			
Overall Width	79"			
Weight	1450 lbs.			
Tooth Bars	12			
Teeth	484			
Brush Capacity	12 cu ft			
Hydraulic Min	13 gpm			







BRUSH CUTTER

EXTREME DUTY OPEN FRONT

The Blue Diamond Open Front Extreme Duty brush cutter is not only a brutal machine in mowing up to 6" to 8" brush, yet cuts grass better than any of its competitors. Why limit yourself to doing one or the other? You don't have to sacrifice any performance to be versatile! Find out why the Blue Diamond Brush cutter is the most popular brush cutter in the industry!

The extreme duty open front brush cutter is a high-powered, standard flow or high flow, direct drive unit with a 1-year warranty. The purpose built hydraulic motor drives a 3.5" *forged one piece drive spindle with a LIFETIME warranty against breakage*! that is housed in 2 massive bearings. The direct drive bearing carrier is now grease packed versus oil and can be greased from a zerk under the hood. This new improvement has dramatically reduced down time and bearing failures! Under the deck, instead of a spline shaft, it has a 13" x 1" flange with 10 3/4" bolts connecting the blade carrier. The wire protection kit between the deck and the blade carrier keeps fence wire and vines away from the lower bearing seal and reduces down time from hidden debris. This powerful yet quiet cutter will produce a cleaner cut at a quicker travel speed than was thought possible on a low flow skid steer. The 10" deck clearance and the raised back allow cut debris to escape and to easily avoid bunching under the deck.




Features Include:

- 3.5" (at bearing, 4" at seal) **forged** one piece spindle is the toughest in the industry. We have yet to see one break!
- Grease filled drive dramatically improves bearing life and down time due to seal damage
- Custom purpose built motor and relief block out last industry standard motors
- External cross-port reliefs protect motor versus internal relief valves
- Fully enclosed motor compartment keeps out the debris that causes overheating issues, especially see in new Teir 4 version machines.
- No rear roller to bounce off stumps or pull cut debris along. Open design allows smoother operation
- Bi-directional cutting allows for control of the discharge angle, as well as doubling the use of the blades



NEED A mini with Hammer? RENT OR BUY





- Micro, Mini, Midi and Heavy ranges
- Designed for extreme conditions
- High quality and proven durability
- Noise reduction technology
- Fully shock absorbed
- Energy recovery system

rental@rocrents.com 610 Salt Road, Webster NY 14580

877 617 RENT (7368)



Part of the rocxgroup and rocrents group of companies



